MAUSDEKORE



OPTIMUM



Take a look at the latest video content in PIRNAR's digital world!











WWW.HAUSDEKORE.HR



PIRNAR

Welcome Home

The most beautiful moments in our lives take place on our very own doorsteps. What could be better than the feeling of returning into the arms of our loved ones after a busy day? We are brimming with pride for all that we have created. The luxurious comfort of modern living lived in the most beautiful of colours. Superior thermal and acoustic insulation for warmth and peace of mind. Intelligent lighting giving that magical look to your home. An entrance with greater security and sophistication. All this with the Pirnar Optimum series.











Enjoy the Comforts of Modern Living

Modern living is characterised by the use of smart technologies and modern solutions. This also applies to the development of front doors. At Pirnar, we have brought a range of innovations to the front door that will turn your home into an oasis of peace, cosiness and warmth. Never before has this class of front doors seen so many effective improvements and such superior features. Upgrades in thermal and acoustic insulation combined with a smart unlocking system and smart lighting perfectly complement the most established smart home solutions.





A Smart Home Starts With a **Smart Door**

A smart home starts at the front door. Now you can control your door wherever you are. In addition to unlocking your door remotely, the SecuroSmart mobile app allows you to control entry, monitor activity, create an entry log and enter your fingerprint in an emergency, even for several of your properties at the same time. It is compatible with many popular smart home solutions.



Voice control with Google Assistant and Amazon Alexa



Use on Apple Watch



Control with Siri - Apple's personal assistant



Linked to Pirnar's SmartLux smart lighting system

SmartLux Smart Lighting

When the sun goes down and the first stars appear in the night sky, Pirnar's entrance comes to life. The beauty of the night light, already enhanced at the entrance with ux lighting, is now complemented with SmartLux smart lighting. It provides both manual and remote control of the illumination of the front door's thresholds, bar handles and decorative trim.

The manual control mode is built into the door frame and allows manual changes of the intensity and colour of the light.

Remote control via the SecuroSmart mobile app allows you to change the temperature, intensity and colour of the light and to control and set the timer.







CarbonCore

The world's Strongest Carbon Fibre Front Door Construction

Construction is at the heart of every top-quality front door. CarbonCore is the world's only patented carbon construction developed exclusively for front doors. Carbon fibre is extremely light, rigid and several times stronger than steel, so the door will not warp in the scorching sun or the coldest winters. CarbonCore allows for easier installation without warping, reduces delivery and installation defects, lessens the environmental impact and shortens the production and sales process.











RECOMMENDED STANDARD UPGRADE CarbonCore CarbonCore WeatherSeal THERMAL TRANSMITTANCE 0,80 WATERTIGHTNESS CLASS WATERTIGHTNESS AT WIND SPEED 114 km/h | 600 Pa 73 km/h | 250 Pa AIR PERMEABILITY CLASS

Advanced Magnet WeatherSeal system

The advanced Magnet WeatherSeal system is an innovation that has earned the door an outstanding 9A watertight rating in the testing laboratories by maintaining perfect watertightness at 600 Pa, equivalent to a wind speed of 114 km/h. This is six times the pressure that a conventional front door can withstand.

Superior additional thermal insulation

Combined with additional thermal insulation, CarbonCore creates an energyefficient front door that achieves an outstanding thermal transmittance value of 0.71 W (m²K).



Ready to fight the wind, water and cold?

^{*} Additional insulation in the structure (surcharge)

SoundCore

SoundInsulation for more Peace and better Comfort for Residential Houses

SoundCore is a front door for residential houses with a 900 kg/m³ density filler, which combined with a superior seal and door leaf, reduces the sound load in living spaces more than 18 fold compared to an open door. Compared to standard front doors, the intensity of sound passing through the door is significantly reduced.



Acoustic insulation panelSoundCore



Soundproofing:Rw (C; Ctr) = to 43 (-1; -4) dB



Thermal transmittance $\mathcal{Y}_d =$ from 0,84 W/(m²K)



C = correction factor for the midrange frequency

Ctr = correction factor for the low frequency range











7510

ColourFS 7016 / Glass ESGNIGHT SKY GLOS Handle 9632 with LUX illumination/ Reliable locking system wittECUROfinger scanner and ARMO COMFORTELECTRO**lock**

7510

ColourFS 7016 / Glass ESGNIGHT SKY GLOSS HandleANGULAR180 NERO Reliable locking $system\ with {\tt GECURO finger}\ scanner\ in\ the\ handle\ and {\tt RMOCOMFORTELECTROlock}$





7211 ColourFS 9016 / Handle 9613 / Stainless steel protective trim 67

ColourFS 7016 / Peephole6202-1 / Personalized handl@OUND180with illumination ABELUX/ Reliable $\label{thm:composition} \begin{center} \begin{center} \hline \end{center} \begin{center} \begin{cen$ steel protective trim203





Colour80077/ Additional paint outside decb/ATURAL OAK/ HandleANGULAR135 NERCwithLUX illumination/ Reliable locking system with ECURO finger scanner in the handle and RMO COMFORT ELECTROlock

7210

Colour80077/ Additional paint outside decoWISTED OAK/ HandleROUND115/ Reliable locking system wideCUROfinger scanner in the handle and MOCOMFORTELECTROlock/ Stainless steel protective trim 67







ColourFS 9005 / Additional paint outside decbMATURAL OAK Glass motif sandblasted HandleANGULAR180NERO with LUX illumination Reliable locking system with ECURO finger scanner in the handle and RMO COMFORTELECTROlock

7500

ColourFS 9016 / Handle 9617 with LUX illumination/ Reliable locking system with ECURO finger scanner and ARMO COMFORTELECTROlock/Stainless steel protective tri $\widehat{\mathbf{m}}$ 267



7490

Colour80077/ Glass motif sandblastedHandle9617 with LUX illumination/
Reliable locking system witeCURO finger scanner and RMO COMFORTELECTROlock





Colour70161 / Additional paint outside 70105 / Glass motif sandblasted HandleROUND95/ Reliable locking system with SECURO finger scanner in the handle and ARMOCOMFORT ELECTROlock/ Stainless steel protective trin6267



7290

Colour80077/ Glass motif sandblastedHandleROUND95/ Reliable locking system $with {\sf SECURO finger}\ scanner\ in\ the\ handle\ am {\sf dRMOCOMFORTELECTROlock/}$ Stainless steel protective trif \mathfrak{m} 03 with ambient lighting UX

7160

ColourFS 9016 / Glass motif sandblasted HandleROUND55/ Reliable locking system with SECUROfinger scanner and RMO COMFORTELECTROlock/ Stainless steel protective trim267





7471

Colour70105/Glass motif sandblastedHandleROUND95/ Reliable locking system wiffECUROfinger scanner in the handle and ARMO COMFORTELECTROlock/ Stainless steel protective trim267



ELECTROlock/ Stainless steel protective trim203







7180

ColourFS 7016 / Satinato glass HandleROUND75 / Reliable locking system with ECURO finger scanner in the handle and RMO COMFORTELECTROlock

7310

ColourFS 9016 / Satinato glass' HandleROUND55 / Reliable locking system with ECURO finger scanner and ARMO COMFORTELECTROlock/ Stainless steel protective trima 67






ColourRAL 8019 MAT / Glass motif sandblastedHandleANGULAR135withLUX illumination/ Reliable locking system with ECURO finger scanner in the handle and RMO COMFORTELECTROlock/ Stainless steel protective trim 67

7460

 $\textbf{Colour} 70105 \textbf{/} \textbf{Glass motif sandblaste} \\ \textbf{dHandle} \\ \textbf{ROUND} \\ 170 \\ \textbf{with} \\ \textbf{LUXillumination}$ / Reliable locking system with ECURO finger scanner in the handle and RMO COMFORTELECTROlock/ Stainless steel protective trim203










ColourFS 9005 / Additional paint outside decomisted OAK Satinato glass HandleROUND135 NERO/ Reliable locking system with ECURO finger scanner in the handle and RMO COMFORT ELECTROlock

7130

ColourFS 7016 / Glass motif sandblastedHandle9110 / Reliable locking system with SECURO finger scanner and RMO COMFORTELECTROlock/ Stainless steel protective trin6267





7330

Colour70161/Additional paint outsideLACK OAK/ Glass motif sandblastedHandle9110/ Reliable locking system widECUROfinger scanner and RMOCOMFORTELECTROlock/ Stainless steel protective trim267



7230

Colour70105/Additional paint outside 0161/Glass motif sandblasted Handle 9103/Reliable locking system $with {\sf SECURO finger}\ scanner\ and {\sf RMOCOMFORTELECTROlock/Stainless}\ steel\ protective\ trim 203$








7190

 $\textbf{ColourFS}\,6005\textbf{/}\,\textbf{Glass}\,\textbf{motif}\,\textbf{sandblaste}\\ \textbf{dHandle}\\ \textbf{ROUND55\textbf{/}}\,\textbf{Stainless}\,\textbf{steel}\,\textbf{protective}\,\textbf{trim}\\ \textbf{203}$

7370

ColourFS 8019 / Glass motif sandblastedHandleROUND55 / Stainless steel protective trim 03











7390

ColourFS 9016 / Glass motif sandblastedHandleROUND75 / Reliable locking system with ECURO finger scanner and RMO COMFORTELECTROlock/ Stainless steel protective trim267

7300

ColourFS 9016 / Glass motif sandblastedHandleROUND55 / Stainless steel protective trim203

Standard Features



Clear glass



Satinato glass



Clear glass motif sanblasted



Flush alignment on the inside



Three compact 3D adjustable hinges in door colour



Internal door handle



Safety rosette cylinder



ARMO 1 secure cylinder lock with five keys



3-point safety lock ARMO



WeatherSeal sealing



Triple glazing



Additional Features



View inside DIN left Concealed hinges



View outside DIN left Concealed hinges



Satin finish glass with motif




Additional insulation in construction




ARMO MAX secure 5-point



Concealed hinges



SoundCore - additional soundproofing



Magnet WeatherSeal sealing





Choose the colour



ALU COLOURS DECOR RAL 9007 90147 English Oak Rustics Golden Oak Oiled Oak Oak Winchester FS 8016 70161 Dark Oak Black Oak Cherry Vintage old dark wood Concrete Imitation PIRNAR #TRENDS PIRNAR #TRENDS Decor Natural Oak only possible on the door leaf. Visit the nearest Pirnar showroom for more information and samples of available decors. Decor sample measures 100 x 140 cm.

Twisted Oak


FS 3004

FS 9005

Natural Oak

Bar handles to make an entrance with

Handles are the most personal part of the door. Every resident touches it at least a thousand times a year, which is put pays special attention to them. We select one of the basic forms, either round or angular, and determine the exact length choosing from 750 mm, 950 mm, 1150 mm, 1350 mm, 1500 mm, 1700 mm or 1800 mm. To ensure the best impression and a personal touch, we have created several series of unique illumination upgrades of handles that use patented technology and that were awarded the prestigious international German Design Award Special 2019.



Please contact the Sales Department for further details on the full range of handles and illumination upgrades.



LUX

Soft ambient illumination of a vertical or plain door handle illuminates the entire house, creating a beautiful and magical atmosphere and feelings of safety and comfort in your home.



LABELUX

The technology patented by RNAR will make your surname or any other inscrip tion shine out from the surface of a handle, fully levelled with the surface. This magical detail remains even while the handle is in use.








Additional Equipment

The choice of door handle and accessories underlines your style and leaves no doubt about your sense of aesthetics.




Please contact the Sales Department for further details on the full range of handles and illumination upgrades.

STAINLESS STEEL PROTECTIVE TRIM





OPTIMUM TABLE OF CONTENTS



Let our award-winning masterpieces impress you in person! Get a real feel for them in our showroom.















Pirnar models are protected by copyright. We reserve the right to change prices, text and technical description without prior notice. Pictures are symbolic and do not always reflect actual condition entirely. Variations in colour are possible due to the technical printing process. Colours should be checked using the RAL colour chart or wood patterns. The surfaces of ALU Pirnar entrance doors are exceptional colour persistent, which is reached with special electrostatic powder-coating on prior chromated basis. The paint is based on the quality of provision RAL RG631. There are specified visual observation guidelines (viewing distance 5 m from the outside or inside 3 m).

MAUSDEKORE

HAUSDEKORE d.o.o. Kobilić 32c, 10410 Velika Gorica info@hausdekore.hr (+385) 1 / 211 - 7700 www.hausdekore.hr